



Smart G4 Audio Product Series

Multi Room Distributed Audio, PA, Emergency Evacuation, and BGM

Rev.3

HAVE YOU EVER DREAMT OF DYNAMIC AMBIANCE !

- WHERE YOUR MUSIC MOVES WITH YOU
- WHERE YOU CAN SEND YOUR MUSIC TO
- DIFFERENT ZONES FROM YOUR MOBILE DEVICES AND LAPTOPS
- WHERE YOU CAN PLUG YOUR USB, YOUR SD CARD
- WHERE YOU CAN HAVE AFFORDABLE CUTTING EDGE TECHNOLOGY
- THAT INTEGRATES TO CHROMECAST-AUDIO DIRECT AS PnP

G4 Made it Reality Now





List of Smart G4 Audio Products

Players, Amplifiers, Speaker controllers

- Audio Matrix 4X4
- Zone-Audio II
- Mini-Zaudio
- Zone Speaker Selector
- Bedside G-Platter Audio
- Mi-Audio2
- Mosaic - Android Audio
- Lumi-Audio
- Teller Window Audio Intercom
- Mini-Volume
- Classroom Audio Set

Speakers Selection

- 6.5" NAI Frame-less in-Ceiling Speaker
- 6" Economy Frame-Less Ceiling Speaker
- 3" Economy High performance Speaker
- Wall Surface mount Speaker
- Omni in-ground speaker (Bose)
- Garden Rock Speaker
- Pool under water speaker
- Resound Art Speakers
- Economy in-Ceiling Mini-Speaker



G4 AUDIO



MATRIX Pro

4X4

Audio Matrix 4X4



Built in Air-Play:

Play your music From your Mobile Phone to any Zone you desire, or create your own multi zone (Party Mode)

3X32 Cascadable:

If you care to have more zones, the easy cascade feature allows you to expand your property to zones to 32 audio zones

Built in KOK:


The amazing Karaoke function allows full KOK microphone manipulation and audio mixing adding effects to the singer sound

Pro-Series

On-Board function control

Balanced Loop Out

Pro: Added SD Card/USB Player



Built in Microphone Jacks

PA Detect function

S-BUS Enabled: control from any wall pad

SB-MATRIX-A44Pro-DIN
SB-MX44Pro-DIN

Coming 2024

Audio Matrix 4X4

ALL YOU NEED!

ON BOARD CONTROL BUTTONS
KOK FUNCTION W/ MIC. MIXING
3AUDIO SOURCES & 1AIR-MUSIC



The only S-BUS Enabled
Multi-Room Audio Wifi Air-Music Play
with incredible features in the World

8 Channels each is 30Watts

Infra Red Remote Control enabled

DIMENSIONS:

144 mm (W) x
75 mm (H) x
90 mm (D)



Audio-Matrix 4X4


Beautiful but a Beast

The all-in-one player with built-in quad amplifiers x
2 channels pumps 30Watts each, and 2 channels
loop out to connect to External pre-amplifier.
The built-in PA Auto audio-detect feature allows
chromecast audio to be PnP with its full features
*according to region

SB-MATRIX-A44-DIN
SB-MX44-DIN



Standard-Series






Different Music Different Room



Matrix Audio 4X4 Connection Diagram Example



Bedroom Alone

Living and Dining
with Terrace (Party)

Whole House

Sing Along

Listen alone

Listen Together





**King of Audio
Zone-Audio II**



SB-ZAudio2-DN

Distributed Audio

Locate Centrally or In-Room

DIMENSIONS:

215 mm (W) x
55 mm (H) x
91 mm (D)

The all-in-one player with built-in Dual amplifiers
2 channels pumps 30Watts each,
Built in FM-Radio, SD card Reader, FTP form NAS
streaming over LAN. Built in 2 Aux inupt and 1 Output
The built-in AUX with Auto audio-detect feature allows
chromecast, airplay audio to PnP with its full features
*according to region

Z-Audio II

The King of Multi Room Audio


from 1 Up to 1377 Zones (each can listen to different music)
works both Stand Alone and Networkable (SBUS & LAN)
stream music from NAS, Play from SD-Card, Connect
to internet Music using Netstreamers, Play from your
Mobile, computer or tablet using Bluetooth or wifi link
Connect to your PA or Phone system. Announce
remotely using G4-RTU/SMS Module.



SB-ZAudio2-DN



Class-A High End Amplifier







Mute and Override

PA Input Aux has Built-In Audio Auto Detect
It Overrides the Played music once triggered

This makes it easy to play any music from
any source, then override it with announcement
or with Air-Music from phone or network



Fully Featured 2 Zone Connection Diagram (Home)



Technology

Entertainment

Safety

Information

Audio &

Security

Monitoring

Reminders

Happy Community

YES CAN Announce!



Scheduled

Greetings

Happy Birthday
Happy Anniversary
Happy Independence
Seasons greetings

Reminders

Take your medicine
Take out the Garbage
Pay your bills

Ringing Bells

School Break Bell Announcement
Factory Shift Start End Break Bells
Prison Bells of sessions

**Added Scheduling Ability
When Working With Logic
or with RSIP3**

**Added Remote Speech and
Announcement Ability When
Working RTU/SMS Module**

Automated

Religious

Religious Prayers
Athan Announcement
Morning Prayers

Informative

Audio Text

Showroom Product Information
Museum Display information
Zoo Exhibit information
Request Assistance In Dept. Store
Departure Arrival Announcements

Boarder Control

Automated rules announcement
Instructions to follow
Safety announcement

Triggered

Emergency Evacuation

Fire warning and alert
Earthquake warning and instructions
Air Attack Warning and shelter guide
Volcanic eruption Alerts
Storm Alert and guidance

Security & Safety

Pool Warning alerts
Dog Sound Alert
Police is on its way
Ambulance has been Called
Help Grand Parent
Trespassing Alert warning
Parking CO Gas Alert
Elevator Entrapment Alert

Vital Monitoring

Low Gas reserve, Please refill
Low water Tank
Water Leak Alert
Forgotten Window Open Alert
Forgotten gate open alert
Septic Pump trip
Sptic tank level alert

Smart G4 Audio System Connection For Different application



Commercial Application Example




Features and function

- Shifts Chime, Automatic as per schedules
- Greetings, Pre recorded Audio Files On Demand and Schedules
- Emergency Evacuation on Trigger
- Call from Anywhere and announce Live on PA
- Play BGM and override it automatically by PA
- Talk about Displayed Product or service (on Demand/Press)
- Send SMS and Play Pre-recorded Messages on PA Direct

Application and use:

School - Factory - Workshop - Offices - Showroom - Museum - Mall
Ports & Transport Hubs - Government Offices - Department Stores



All our products are heavy Duty (No operating System = No hick ups)




Residential Application Example



Features and function

- TV Amplify, BGM Play and audio streaming
- On Schedule Greetings
- Alert - Fire - Tank Level - Water Leakage ++
- Pool Alert - Gas leak - Grand-parent help
- Elevator Emergency Announcement
- Door Visitor announcement
- Play different Music at different Room or Jiontly



Smart G4 Audio System Connection For Different application

Parenting Application Example




Features and function

- Reminders for children to study and off games
- Reminder for Grand parents to Take medicine
- Reminder about Garbage day
- Panic Button allows direct connection to Relative
- 2-Way Audio connectivity and speaker amplification
- Can Call in and check on Parents and Baby
- BGM on Demand

Application and use:

Elderly at Home - Remote Parenting - PWD



Religious Application Example




Features and function

- Automatic Islamic Athan Announcement according to Sunni or Shiat
- 2 Million Cities Longitude and Latitude options
- Select Athan Prompt type (Jerusalem, Meccah, Madinah, Cairo, Damascus)
- 5 Prayers ready schedule for 99 years in advance per City Location
- System can Announce Duaa before and after prayer
- System can Make Iqamah Automatically or by press on a button

Application and use:

Islamic Mosques



Smart G4 Audio System Connection For Different application

Public Area Application Example





Features and function

- Give instructions at Vaccination centers touch-less on detection
- Announce Alert if Pool invisible fence is crossed unattended
- Give Instruction to Passengers approaching immigration and customs on motion
- Alert To Pool Area duellers that UV rays level is high to take caution
- Announce Alert to People in parking that co gas level is high
- Select your Language and get audio instructions on demand

Application and use:

Garage - Pool - Immigration - Customs
Government Buildings -discipline structures
Vaccination centers





All G4 Audio Player Products



Record Then Announce

Easy APP



Select Source & Triple, Bass
Create Que Play lists



Read SD card & NAS Songs



Control Multi Chromcast Zones
Stream or Air-Play your Songs

Mini-ZAudio (ZAM)



START WITH ONE, EXPAND TO 1370

Most affordable Multi-Room Audio Distribution System.
It can deliver High fidelity digital music direct to your speakers
You can use different wattage or blast the up the volume in Garden
by adding Pre-Amplifiers

Mini-Zone Audio is the most flexible and affordable product today that has Integration ability to many Home Automation products and brands. Can start with 1 Room up to 1370.

Affordable Features

EASY ON BOARD CONTROL, IR CONTROL, WALL PANEL CONTROL, APP CONTROL, AND MORE

Flexible Controls

ACCEPTS PLAYING FROM SD CARD, USB, BLUETOOTH, RADIO, AND AUX CONNECTED DEVICES.

Flexible Inputs



Mini-ZAudio (ZAM)



SB-MiniZA-FL



Blue Tooth, USB, SD Card, FM Radio, Aux, PA, Audio out

Mini-Zone Audio


SMALL AND SEXY

DIMENSIONS:

95 mm (W) x
26 mm (H) x
95 mm (D)

The all-in-one player with built-in quad amplifiers
4 Channels Total: 2 channels pumps 30Watts each,
and 2 channels that gives simply 6Watts for easy BGM.
The built-in AUX with Auto audio-detect feature allows
chromecast audio PnP with its full features
*according to region

SB-MiniZA-FL



ALL YOU NEED!

ON BOARD CONTROL BUTTONS
OLED DISPLAY
USB, SDCARD, RADIO, AUX & BT

The only S-BUS Enabled
Multi-Room Audio with BT
At Affordable Price


Mini-ZAudio (ZAM)

WIRELESS BT & SBUS EASY SETUP

No complex programming. Simply connect MZA to your speakers then it is ready to play.

For added flexibility can connect to your ready Chromcast-Audio as PnP. and for added controllability from any wall panel, Smart Mobile device either locally or remotely over 3G/4G simply connect to S-BUS port.

Multi-Room Distributed Audio System



Mini-ZAudio (ZAM)

PLAY YOUR FAVORITE MUSIC IN EVERY ROOM OF YOUR HOME

USE YOUR USB, SD CARD, OR BLUE-PUSH USING ANY B.T. ENABLED DEVICE.
TUNE IN TO YOUR FAVORITE LOCAL FM RADIO CHANNELS
OR PLUG TO YOUR PA SYSTEM TO ANNOUNCE.
PnP TO CHROMECAST AUDIO TO AMPLIFY AND STREAM YOUR FAVORITE
ONLINE OR IN PHONE PLAY LISTS OF YOUR SELECTION.




Music service availability
varies by region.




WIRE-LINE


All easy connectors, for easy DIY installation



TOP VIEW




L.SIDE & FRONT VIEW



R.SIDE VIEW

PA.Sys
Chromecast
Airport
Air-Push
DVD
Audio SRC



BACK VIEW

SBUS
SWAVE

TO Pre-AMP
SPEAKERS



speaker selector





PLAY YOUR FAVORITE MUSIC OR ANNOUNCE TO DESIRED ZONE GROUPS

Connect up to 12 speaker channels (R/L) separated into 6 zones with automatic impedance matching technology. Deliver High fidelity digital music direct to your speakers with power up to 1200 Watts



Speaker Selector Diagram





speaker selector

Speaker Zone Selector is an Added Necessity to any installer in order to minimize installation time, impedance calculation wiring topology diagrams, & to give easy Audio Zone selection

Affordable Features

Speaker Zone Selector is cascadable, affordable, and powerful it can be controlled manually, or from smart Panels as well as any smartphone or tablet

Flexible Controls



ALL YOU NEED!

**PUMP MUSIC TO DIFFERENT AREAS
NO NEED TO CALCULATE SPEAKER OHM
NO NEED TO WIRE IN SPECIAL WAY**

The only S-BUS Enabled
Impedance matching Speaker Selector
Accepts 100Watts per channel Maximum

FITS ANYWHERE

DIMENSIONS:

72 mm (W) x
72 mm (H) x
91 mm (D)

SMALL SIZE: DIN-RAIL & WALL MOUNT

Easy speaker Connector connector
S-BUS Enabled
On-Board Control
Manual control Ability (Push Buttons remote connection)
Small Size, Easy Installation and connection

4 Groups On Device Selection

SB-AudioX-DN



6 Areas On
Device Select

Application: HOME



PLAY YOUR FAVORITE MUSIC IN EVERY ROOM OF YOUR HOME

Select one room or group of rooms

play your favorite music and move it with you
on the go.

create party mode as desired


control from your wall panel, switches, and
your smart phone or tablet.

- Area 1
- Area 2
- Area 3
- Area 4
- Area 5
- Area 6


Application: M.Bed Room

DO NOT BOTHER YOUR PARTNER

When you have a master bedroom, where you like to either group its living room zone with bedroom, with bathroom and dressing, Or you like to have the ability to play music in only one part of that room without bothering your partner. This Speaker Zone selector will be the best answer for your desire without the need to buy sophisticated or expensive systems.



Application: HOTEL



HOTEL AUDIO ZONE SELECTOR

Pump the selected Back Ground Music to all needed Areas, Schedule the Zone Announcements and Music using Smart Logic Module G4, Shift and Change zones according to occasion & Time of day.

Help activate Emergency Evacuation

Announce to selected single or Multi Zones

Cascadable, and can add more zones on the GO X6

- Area 1 Elevators
- Area 2 Hotel Rooms
- Area 3 Lobbys
- Area 4 Corridors
- Area 5 Car Parking
- - - Area 6 Gardens and Pool

Application: Mall




MALL AUDIO ZONE SELECTOR

Whether it is BGM, or Public Announcement, or a scheduled Advertisement, a Call for Prayer, a Timed Closing Time Reminder, a special awareness message or more; the Smart-BUS enabled Zone selector will help to deliver it to the desired zone.

Connecting Chromecast®, Airport Express®, Air-Push® would allow manager or Security on the go to record and announce to selected single or Multi Zones.

- Floor 4
- Floor 3
- Floor 2
- Floor 1
- Floor 0
- Car parking

Application: Prayer Hall



PRAYER HALL AUDIO Z.SELECTOR

Prayer halls are holy structures that require full and complex audio handling according to the activity inside and outside. The size of crowd, the occasion and more.

Whether it is a Church, Mosque, Temple, Pagoda, synagogue or other. All prayer halls and prayers structures require breaching and audio.

Call for Prayers Either As Church Bells, Azan, Drums, or Other can be Announced by adding SBUS Zone Audio module to call for prayer either Automatically or on Demand.

- Small Prayer Z1
- Medium Prayer G2
- Study / Breach G3
- Big Prayer G4
- Outdoors Z5
- Huge Ceremonial G6

Other Application: IDEAS

School

Class Rooms
Management
Play Grounds
Labs
Hallways

Military

Officers
Mess
Dorms
Training Yard
Offices
Bunkers

Hospital

Outpatient Clinics
Inpatient Wards
Operating Theater
Administration
Labs
Hallways
Waiting Areas
Parking
Services

Bank

Branch
Administration
Top Management
Elevators
Hallways
Departments

Factory

Engineering
Production
Test Labs
Packaging
Warehousing
Offices

Airport

Departure
Arrival
Services
Immigration
Baggage Handling
Public Services
Airline Offices


Museum


Ticketing
Sections
Admin
Security
Precious Items
Public Services
Storage



speaker selector

Global Connection Diagram





G-Platter Bedside Audio Outlet

Elegant Glass Double Gang Creation Module with screw-less technology.

Built in Player/Amplifier and 3 watt speaker which allows music playing direct with full convenience.

This Audio module fits G-Platter Hotel Series and can be installed in Hotels safely without risk of loss of the audio device which is securely fitted into the wall.



SB-GPMiAudio+SPK-EU/W



Features:

Fits on Double UK Back box (Model UK double gang 6X3)
Fits on Double EU/German/French Box

Built in Blue Tooth for Direct play from Laptop, Mobile or tablet
Built in USB Slot to play from Guest USB
Built in Aux for Audio jack cable connection
Hidden behind the wall SD card for pre-loaded Hotel Music

Touch enabled buttons (Baklit) and simplified.

Mi-Audio2

Elegant Affordable in-wall Touch Audio Player - Amplifier with Dual connection to Power by either Direct Electricity 110-220AC Or by 24VDC.

Built in Player/Amplifier which allows music playing direct with full convenience from SD card, USB or Blue Tooth, or Cable connected Aux.

*Optional Hand Held Simplified remote control

DIMENSIONS:

85 mm (W) x
86 mm (H) x
35 mm (D)



SS-MiAudio2-UK/W




Remote is Included Free

Fit for Mass
Development




SS-MiAudio2-UK/B




Mi-Audio2



Connection Diagram



Wire Connection Pinout



Mi-Audio2

Features:


- ▶ Adopt Bluetooth wireless connection technology
- ▶ Standard 86 Mounted on the wall for easy control
- ▶ With wireless remote control
- ▶ 2.5D process glass with electroplated plastic border
- ▶ Elegant the light touch button
- ▶ Support play songs automatically when power on
- ▶ Support audio input and output function with secure and fast connect phoenix connectors
- ▶ Support linkage trigger doorbell
- ▶ Suitable for villa, homes, commercial areas, kid' s room, etc.

SPECIFICATIONS	SS-MiAudio2-UK
Output power	2*25W
Speaker Impedance	4-8ohm
Expand TF card memory	32GB
Panel	Transparent and tough crystal panel with 9 touch light buttons, 1 touch half hidden button
Bluetooth wireless range	≤10M
USB	OTG USB, 32G can be read
THD	0.03% (1W,1KHZ)
Frequency response	20 Hz-20 kHz (+/-2dB)
SNR	98db
Music format	Mp3, WMA, WAV, AAC, WAW, APE, etc.
Power Requirements	110-250VAC & 24VDC
Color	White, black, gold
Dimension	86*86*10mm
Weight	0.28kg

Stand Alone or Integrate Via IR



SS-MiAudio2-UK/W



Fit for Mass Development

Mosaic Audio Center (Android)



Mosaic Audio Center (Android)



Remote is Included Free



Quick Facts

Easy Removable Connectors
Mounts on Deep UK Back Box

Blue tooth and Wifi
110-220VAC driven

2X25Watt RMS

Features:

- ▶ Adopt Bluetooth and WIFI wireless connection technology
- ▶ Standard 86 Mounted on the wall for easy control
- ▶ With wireless remote control
- ▶ Rs485 protocol for integration
- ▶ Download APP like Spotify, Pandora etc to it to play music from internet
- ▶ Support triggering doorbell function
- ▶ Support remote trigger power on/off
- ▶ Support program timer on/off function; and programmed song play after power on
- ▶ Support audio input and output function with secure and fast connect phoenix connectors
- ▶ Support TF card and OTG 2.0USB interface, USB can be connected to the hard disk;
- ▶ With WIFI connection
- ▶ Suitable for homes, commercial areas, kid's room, etc.

Order your Optional Hand Held Simplified Remote

White




SB-Mosaic4-EU/W

Golden




SB-Mosaic4-EU/G

Black



SB-Mosaic4-EU/B


Mosaic Audio Center (Android)



SPECIFICATIONS

Output power	2*25W
Speaker Impedance	4-8ohm
System	Android 7.1
Body memory	1GB
Expand TF card memory	8GB, Scalable to 32G
Network	WIFI
CPU	Cortex 1.2G (Quad core)
Display	4inch capacitive touch screen
Resolution	480*480 IPS
Bluetooth wireless range	≤10M
USB	OTG USB
THD	0.03% (1W.1KHZ)
Frequency response	20 Hz-20 kHz (+/-2dB)
SNR	98db
Music format	Mp3, WMA, WAV, AAC, WAW, APE, OGG, etc.
Video format	MPEG-1/2/3/4, RM/RMVB, WMV, MOV, MK, VOB, AVI, 3GP, H. 264, etc.
Power Requirements	110-250VAC
Audio	Aux audio input and outputs
Dimension	86*86*11mm
Weight	0.7kg

Connection Diagram



Wire Connection Pinout



Lumin-Audio



Remote is Included Free

SS-Lumin-Audio-UK

2CHX25W Bluetooth wall amplifier with 2Ch lighting control (500W each)

Description:

This 2 channel small bluetooth multi-home audio system equipped with micro USB/TF can power 2 to 8 pieces of speakers in your home or small commercial area. It uses a high-efficiency class-D amplifier for a maximum output of 2*25 watts, low-impedance speakers. Plus, you can control everything - seek, change tracks, and adjust the volume - using the included wireless infrared remote controller.

What is more, its all-in-one function, has the power switch for 2 lights


Fit for Mass
Development



Stand Alone or Integrate Via IR



SPECIFICATIONS	SS-Lumin-Audio-UK	Part#BA-225LT
Output power	2*25W (Yamaha Digital Amplifier)	
Speaker Impedance	4-8ohm	
Expand TF card memory	32GB	
Panel	Transparent and tough crystal panel with 7 touch light buttons	
Bluetooth wireless range	≤10M	
USB	OTG USB, 32G can be read	
THD	0.03% (1W.1KHZ)	
Frequency response	20 Hz-20 kHz (+/-2dB)	
SNR	98db	
Audio input/input	1/1	
Illumination output Power	less than 500W per channel	
Music format	Mp3, WMA, WAV, AAC, FL AC, WAW, APE, etc.	
Power Requirements	110-250VAC	
Color	White	
Dimension	86*86*10mm	
Weight	0.28kg	



Window Audio Intercom System



SS-TellerTBK10-FL

Optional Standing Speaker

SPECIFICATIONS

SS-TellerTBK10-FL

Power supply	DC 220/110V
Working voltage	DC 14V
Microphone sensitivity	-42 ± 2dB
Host power	5W + 1W
Maximum working current	600mA
Frequency response	80Hz-14KHz



Desription and usage:


Window intercom system is primarily used in the counters and Bank/Window, or any places where conversations need to be Assisted like Embassies, Immigration, Military, Prisons etc..

Features:

- ▶ Fashion appearance and clear sound effect
- ▶ Volume control and MIC control
- ▶ Supervisor talk-in conversation can not be heard by window sub stations
- ▶ Built-in recording signal output, can provide master station and sub station audio output for recording
- ▶ Simple connection and easy to install



Mini volume +



2CHX25W amplifier with Temperature sensor



Covert any Tablet into
Thermostat & Zone Audio Player



Brief Description:

Fits in Any Standard Wall Back-Box
Works as NO/NC using any dumb
momentary press switch
Has built-in Temperature sensor Port
S-BUS Powered & enabled


DIMENSIONS:

46 mm (W) x
46 mm (H) x
16 mm (D)



Usage:

- A- Amplify and Attenuate volume of connected source
- B- Convert any Android Tablet to become
S-BUS Switch with audio and Temperature
- C- As Sub-Zone Volume controller for Balcony, Dressing, Bathroom, Office ...

Can Control Volume using NO/NC Push button & Smart G4 Smart Panels & App



Mini volume + Application Diagram Sub-zones Example



Same Example Applied to Offices ++

Classroom Active Wall Speaker Pair with Mic Input Set



WW-104A UHF
2*15W speaker in pair; 110-240VAC power supply with one head worn UHF mic

SPECIFICATIONS	SS-ClassWW-104A-UHF
Power Wattage each	15W
Set has:	2X15W Speakers with UHF Mic.
SPL(1W/1M)	92dB
Max SPL@ 1M	99dB
Freq. Response	90-18KHz
Product Size	205 × 302 × 115mm
Installation	Wall mount
Enclosure Material	wood
Weight	2kg
Finish	Black
Speakers	4.5" × 1 woofer

Full range active with presentation microphone in pair (2X15W)

Features:

- ▶ The cabinet is made of high-quality fiberboard and birch cold-pressed leather, which eliminates the resonance sound of the cabinet and is suitable for indoor use;
- ▶ Producing clear, bright and thorough sound;
- ▶ Elegant outlook
- ▶ Input voltage 70V / 100V optional



- ▶ 2-way speaker design with professionally tuned woofer and tweeter
- ▶ Aux stereo input allow you to connect two different audio sources.
- ▶ Easy installation and cost effective

Classroom/presentation Wooden Wall Speakers

NAI 6.5" Frame-less High End Speaker (High End)

NAI-C65-P



A: Butyl Rubber Surround for Superior Longevity

F: Powder Coated Steel Grille

J: Gold Plated Compression post

C: High Grade Polypropylene Fiber Material for Better Sound Clarity

I: Heavy magnet improves Bass and improve sensitivity

K: Full Circle PCB crossover for smooth Vocal and Clear Dialogue



D: Pivoting tweeter 1.2" Titanium dome

G: New Dog leg for simple and Secure Installation

L: Reinforced Resonant Absorbing ABS Polymer Frame

B: Environmental Equalizer Switch $\pm 3\text{dB}$

E: Honeycomb pattern Elastic paint, Soft feeling touch

H: Poly switch for tweeter protection

NAI-C65-P

Speaker Part Description

- Frequency Response: 60 Hz-20 kHz
- RMS Power: 60 watts
- Impedance: 8 ohms
- Sensitivity (1w/1m): 90dB
- Drive Unit Complement
 - Woofer: 6.5" Kevlar Woven cone
 - 6.5" PP cone
 - Tweeter: 1.2" Titanium dome
 - 1.2" Slik dome
- Tweeter equalizer: +3db/-3db
- Cutout Dimensions: $\phi 210\text{mm}$
- Overall Dimensions: $\phi 227 \times 87\text{mm}$

NAI



Economy 6" Frame less Speaker Ceiling Mountable (High Performance)



MODEL	OE-606LM-SPK
Recommended Amplifier Power	10W to 125W
Power Peak	30W at 8ohm
SPL(1W/1M)	92dB
Max SPL@ 1M	103dB
Freq. Response	20Hz-18KHz
Cutout Size	Dia 170mm
Product Size	Dia 185x75mm(H)
Installation	Inceiling
Enclosure Material	ABS
Weight	0.7Kg
Finish	White
Speakers	6"x1 full range

Frameless 6 Inch high performance ceiling Speaker

- ▶ 6" Full range ceiling speaker at high performance
- ▶ Elegant rimless design
- ▶ Good for PA and BGM

Rimless Version



OE-606LM-SPK



OE-606LM-SPK

Fit for Mass Development 

3" Mini-Speaker Ceiling Mountable



MINI 8 ohm high performance ceiling Speaker

- Ceiling speaker for home entertainment and commercial application
- With clear acoustic performance for music and voice



OE-303FL-P



OE-303FL-P

Fit for Mass
Development

MODEL	OE-303FL-P (Standard version)
Driver size	3 inch
Recommended Amplifier Power	3W to 25W
Power Peak	25W at 8 ohm
Sensitivity	89Db±2 (1w/1M)
Max SPL	93Db
Speaker impedance	8Ω
Frequency range	100Hz-16KHz
1000Hz Dispersion angel	130 degree
Size	Φ120X80MM
Hole cut size	Φ100MM
Material	ABS
Color	White
Installation	In ceiling

Powerful Wall Surface mount Speaker



OE-WP-420L/W



OE-WP-420L/B

8 ohm high performance wall Speaker

- ▶ Wall speaker for home entertainment and commercial application
- ▶ With clear acoustic performance for music and voice
- ▶ 2 way stylish wall low impedance speaker



Applications:

Restaurants
Lobbies
Buildings
Homes
Private Club

MODEL	OE-WP-420L
Recommended Amplifier Power	20W to 125W
Power Peak	70W at 8 ohm
SPL(1W/1M)	92dB
Max SPL@ 1M	103dB
Freq. Response	20Hz-20KHz
Cutout Size	NA
Product Size	215x170x150mm
Installation	Wall mounted
Enclosure Material	ABS
Weight	1.8Kg
Finish	White as standard, Black optional
Speakers	1" x 1 (TREBLE) 4"x1 (BASS)

Water Proof Outdoor/Indoor Wall Surface mount Speaker



OE-OWS-LT/W
WP-415LWP/W



OE-OWS-LT/B
WP-415LWP/B

8 ohm high performance wall Speaker

Water Proof



Applications:

Gazebo Area
Terrace & Balcony
Pool area
Sauna/Spa
Building side walk ways

MODEL

OE-OWS-LT/W Part# WP-415LWP

Recommended Amplifier Power	15W to 125W
Power Peak	50W at 8 ohm
SPL(1W/1M)	90dB
Max SPL@ 1M	101dB
Freq. Response	100Hz-20KHz
Cutout Size	NA
Product Size	209x133x133mm
Installation	Wall mounted
Enclosure Material	ABS
Weight	1.1Kg
Finish	White as standard, Black optional
Speakers	3/4" x 1 (TREBLE) 4"x1 (BASS)

Water Proof Outdoor Garden Speakers



MODEL	NAI-Rock5-SPK RK-620
Recommended Amplifier Power	20W to 125W
Power Peak	70W at 8 Ohm
SPL(1W/1M)	90dB
Max SPL@ 1M	103dB
Freq. Response	100Hz-16KHz
Dispersion Angel	NA
Product Size	230x210x270mm
Installation	Ground mounted
Enclosure Material	Synthetic Resin
Weight	3.5Kg
Finish	Grey

8 Ohm Speaker

NAI-Rock5-SPK RK-620

- Weather proof for outdoor application
- Elegant yet powerful sound
- With 20W transformer



NAI-Rock5-SPK RK-620



SS-Bose-OD-501P

SS-Bose-OD-501P

- Outdoor high power speaker
- Radial design enable 360 degree sound dispersion
- Low frequency delivering depth sound

IP 66

8 Ohm Speaker

MODEL	SS-Bose-OD-501P
Recommended Amplifier Power	30W to 150W,
Power Peak	100W at 8ohm
SPL(1W/1M)	95dB
Max SPL@ 1M	110dB
Freq. Response	100Hz-16KHz
Cutout Size	360 degree
Product Size	Dia 360x365mm
Installation	Ground fix
Enclosure Material	ABS
Weight	3.0Kg
Finish	Sage Green
Speakers	4.5" x1 full range

Under Water Pool Speaker



MODEL	SS-UWater-SPL-01
RMS Power at 8 ohm	15W
Peak Power at 8 ohm	30W
SPL(1W/1M)	90dB
Max SPL@ 1M	102dB
Freq. Response	70Hz~20KHz
Dispersion Angel	180x180 degree
Product Size	200x200x35mm
Installation	Under water mounted
Max dept underwater	10 Meters
Max transmit distance	20 meter
IP rating	68
Operation Temp	3 to 50 degree celcius

Swimming Pool Speaker


G4

Features:

- ▶ With IP 68, deep water use at stylist design with Excellent frequency response
- ▶ High SPL, wide frequency range and resistance to high water pressure
- ▶ The speaker is suitable for swimming pools, spa, and all types of under the water applications



SS-UWater-SPL-01



For Water aerobics dancing
and entertainment

Resound art Speakers (Select your own Photos on walls)



Features

- Full range sound speakers
- Wooden Frame
- Pictures are selectable and printable
- Can be sold as single speaker
- can be sold are set for theater 5.1 7.1
- 2 front, 2 back, center and sub woofer
- Best sound quality
- Hidden Speakers as Art work 2in1





CONTROL WITH YOUR SMARTPHONE OR TABLET.

Wirelessly connect any Bluetooth enabled devices and send your music direct to your speakers. Connect your Chromecast-Audio, S-BUS or even S-Wave to control all of your music with your Android Smartphone, Tablet, iPhone, iPod touch, iPad, or even your PC. Download free Smart G4 Apps any time. Use them at home or anywhere there is internet. Play different song in every room. Connect to chromecast-audio and group or create party mode of your choice.





INSTRUMENTAL

JAZZ

LATIN

HIP HOP

LOUNGE



HOTEL



HOME



CAFÉ



MALL



PARK



APARTMENT



RESTAURANT



HOSPITAL



OFFICE



BANK



MARINE



PRAYER HALL

APPLICATIONS

G4 Audio Devices has many applications and can be installed in many locations and several types of buildings.

G4 Audio also has best solutions for Mass Real Estate Developers.

CLASSIC

PERSIAN

POP

ROCK



CUTTING EDGE

ELEGANT

AFFORDABLE

EXPANDABLE

SIMPLE

DURABLE

SMART

www.smartg4.com



SMART Group Americas



Sweden | Nigeria | Canada | Hong Kong | Italy | Dubai